

LEGUTIO

Range of product

EN 10219

Cold formed welded steel structural hollow sections

ROUND



Ø (mm)	Wall Thickness (mm)									
	2	2,5	3	4	5	6	8	10	12	12,5
33										
33,7										
38										
40										
41,5										
42										
42,4										
47,5										
48										
48,3										
50										
59,5										
60										
60,3										
63										
63,5										
70										
76										
76,1										
80										
83										
88,9										
89										
100										
101,6										
108										
113										
114										
114,3										
120										
125										
127										
133										
139,7										
152										
152,4										
156										
159										
160										
164										
168										
168,3										
177,8										
193,7										
219,1										
244,5										
273										
323,9										

LEGUTIO

Range of product

EN 10219

Cold formed welded steel structural hollow sections

SQUARE



BxH (mm)	Wall Thickness (mm)									
	2	2,5	3	4	5	6	8	10	12	12,5
25 x 25										
30 x 30										
35 x 35										
40 x 40										
45 x 45										
50 x 50										
60 x 60										
70 x 70										
80 x 80										
90 x 90										
100 x 100										
110 x 110										
120 x 120										
125 x 125										
127 x 127										
130 x 130										
140 x 140										
150 x 150										
160 x 160										
175 x 175										
180 x 180										
200 x 200										
220 x 220										
250 x 250										
260 x 260										

Our products come with various customization options:

- Grades
- Surface finishing
- Length: 6-12m, customizable upon request
- Option to remove inside weld
- Other shapes are available

For more details, please feel free to contact us. Specific demands are welcome and can be addressed upon request.

ArcelorMittal Europe - Tubular Products
 24-26 Bd d'Avranches
 L-1160 Luxembourg

Web site: tubular.arcelormittal.com
 Technical hotline: constructube@arcelormittal.com

LEGUTIO

Range of product

EN 10305

Cold formed welded steel structural hollow sections

ROUND
(EN10305-3)



Ø (mm)	Wall Thickness (mm)									
	0,8	1	1,2	1,5	2	2,3	2,5	3	3,5	4
8										
10										
11,92										
12										
12,7										
13										
13,5										
13,87										
14										
15										
15,4										
16										
17										
17,2										
17,3										
18										
19										
20										
21,3										
22										
25										
25,4										
26										
26,7										
27										
28										
30										
32										
33										
34										
35										
35,2										
36										
38										
38,35										
40										
42										
44,5										
45										
46										
48										
48,3										
50										
50,8										
52										
53										
54										
55										
57										
60,0										
60,3										
63										
64										
65										
70										
75										
76										
76,1										
80										
83										
85										
88										
88,9										
89										
90										
95										
100										
101,6										
108										
110										
113										
114										
114,3										
120										
125										
127										
133										

Our products come with various customization options:

- Grades
- Surface finishing
- Length: 6-12m, customizable upon request
- Option to remove inside weld
- Other shapes are available

For more details, please feel free to contact us. Specific demands are welcome and can be addressed upon request.

ArcelorMittal Europe - Tubular Products
24-26 Bd d'Avranches
L-1160 Luxembourg

Web site: tubular.arcelormittal.com
Technical hotline: constructube@arcelormittal.com